

# Camelion®

## Power Supply

Mobile Power  
USB Wall Charger  
USB Car Charger




## Product Catalogue 2025

[www.camelionbattery.com](http://www.camelionbattery.com)



## ***More Energy Solutions***



**Try us out  
today!**

- Mobile Power
- USB Wall Charger
- USB Car Charger

# Content

---

## Mobile Power

PS742	4
PS743	4
PS715	5
PS735	5
PS733	6
PS726	6

## USB Car Charger

DD822C	12
DD823A	12
DD822A	13

## USB Wall Charger

AD612	7
AD613	7
AD606	8
AD605	8
AD602A	9
AD601A	9
AD585A	10
AD585T	10
AD581	11
AD582	11

## Jump Starter & Mobile Power

CJS-100	14
---------	----



# Mobile Power

Camelion Mobile Power offers you a series of fast, easy and reliable power sources for your mobile devices. Integrated with superior quality battery cells, we ensure you reliable mobile power products of long life that are fully compliant with international safety standards.

## PS742



### Main Features

- 10000mAh high-capacity power
- 20W ultra-speedy USB-C output
- 15W wireless fast charging
- Strong magnet ensures perfect alignment and efficient charging
- Compact and ultra-slim, perfect fit in palm or pocket
- Safety charging: over-charge protection, over-discharge protection, over-voltage protection, over current protection, short-circuit protection

### Specifications

**Battery:** 3.85V, 10000mAh, 38.5Wh Li-Polymer  
**Input:** USB-C: 5V  $\leq$  3A, 9V  $\leq$  2A, 12V  $\leq$  1.5A  
**Output:** USB-C: 5V  $\leq$  3A, 9V  $\leq$  2.22A, 12V  $\leq$  1.67A 20W  
 Wireless Charger: 5W / 7.5W /10W /15W  
**Charging Time:** 6 hrs (Approx.)

### Packaging

	Weight (g)	240
	Dimensions L x W x H (cm)	14.7x6.9x2
Inner Carton	Packs / Inner Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
	Volume (cbm)	/

## PS743



### Main Features

- 10000mAh high-capacity power
- Built-in 3 cables, say goodbye to tangled cords and bulky chargers
- 5 outputs, 2 inputs: charge 5 devices simultaneously, recharge itself with 2 options
- 4 ultra-fast outputs, save you time and no more waiting
- 15W wireless fast charging
- Strong magnet ensures perfect alignment and efficient charging
- Foldable stand props up your phone for easy viewing
- Compact and ultra-slim, perfect fit in palm or pocket
- LED Indicator, check battery status clearly
- Safety charging: over-charge protection, over-discharge protection, over-voltage protection, over current protection, short-circuit protection

### Specifications

**Battery:** Battery: 3.7V, 10000mAh, 37Wh Li-Polymer  
**Input:** USB-C: 5V  $\leq$  3A, 9V  $\leq$  2A, 12V  $\leq$  1.5A  
 USB-A Cable: 5V  $\leq$  2A  
**Output:** USB-A: 5V  $\leq$  4.5A, 9V  $\leq$  2A, 12V  $\leq$  1.5A 22.5W  
 USB-C: 5V  $\leq$  3A, 9V  $\leq$  2.22A, 12V  $\leq$  1.67A 20W  
 USB-C Cable: 5V  $\leq$  3A, 9V  $\leq$  2A, 12V  $\leq$  1.5A 18W  
 Lightning Cable: 5V  $\leq$  2.1A  
 Wireless Charger: 5W / 7.5W /10W /15W  
**Charging Time:** 6 hrs (Approx.)

### Packaging

	Weight (g)	210
	Dimensions L x W x H (cm)	10.9x6.9x2.25
Inner Carton	Packs / Inner Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
	Volume (cbm)	/

# Mobile Power

## PS715



### Main Features

- 10000mAh high-capacity power
- Built-in 4 cables, say goodbye to tangled cords and bulky chargers
- 6 outputs, 2 inputs: charge 6 devices simultaneously, recharge itself with 2 options
- 3 ultra-fast outputs, save you time and no more waiting
- LED Indicator, check battery status clearly
- Safety charging: over-charge protection, over-discharge protection, over-voltage protection, over current protection, short-circuit protection

### Specifications

**Battery:** 3.7V, 10000mAh, 37Wh Li-Polymer  
**Input:** USB-C: 5V --- 3A, 9V --- 2A, 12V --- 1.5A  
 USB-A Cable: 5V --- 2A  
**Output:** USB-C: 5V --- 3A, 9V --- 2.22A, 12V --- 1.67A 20W  
 USB-C Cable: 5V --- 3A, 9V --- 2A, 12V --- 1.5A 18W  
 USB-A1: 5V --- 4.5A, 9V --- 2A, 12V --- 1.5A 22.5W  
 USB-A2 / Lightning Cable / Micro Cable: 5V --- 2A  
**Charging Time:** 6 hrs (Approx.)

### Packaging

	Weight (g)	190
	Dimensions L x W x H (cm)	14×6.8×2.8
Inner Carton	Packs / Inner Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
	Volume (cbm)	/

## PS735



PS735-200CBH



### Main Features

- 20000mAh large power capacity
- 22.5W fast output power
- 18W QC / 18W PD fast input
- 3 devices charging at once
- Over-charge protection, over-discharge protection, over current protection, short-circuit protection, high temperature protection
- Easy-to-monitor power indicator
- Compact and powerful

### Specifications

**Battery:** 3.7V, 20000mAh, 74Wh, rechargeable Li-polymer battery  
**Input:** 18W (Max)  
 Micro USB: 5V --- 2A, 9V --- 2A, 12V --- 1.5A  
 USB-C: 5V --- 3A, 9V --- 2A, 12V --- 1.5A  
**Output:** 22.5W (Max)  
 USB-A1 / A2: 5V --- 4.5A, 9V --- 2A, 12V --- 1.5A 22.5W  
 USB-C: 5V --- 3A, 9V --- 2.22A, 12V --- 1.67A 20W  
 USB-A+USB-C: 5V --- 3A

### Packaging

	Weight (g)	275
	Dimensions L x W x H (cm)	/
Inner Carton	Packs / Inner Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
	Volume (cbm)	/

# Mobile Power

## PS733



PS733-100CBH



### Main Features

- Bi-directional fast charge technology
- 3 devices charging at once
- Support QC/PD fast output
- Dual 18W quick input ports
- Over-charge protection, over-discharge protection, over current protection, short-circuit protection, over temperature protection
- Easy-to-monitor power indicator
- Compact and powerful


### Specifications

**Battery:** 3.7V, 10000mAh, 37Wh, rechargeable Li-polymer bBattery  
**Input:** Micro USB/USB-C: 5V  $\leq$  2A, 9V  $\leq$  2A, 12V  $\leq$  1.5A  
**Output:** 18W (Max)  
 USB-A1/A2: 5V  $\leq$  2.4A, 9V  $\leq$  2A, 12V  $\leq$  1.5A QC3.0  
 USB-C: 5V  $\leq$  2.4A, 9V  $\leq$  2A, 12V  $\leq$  1.5A PD3.0  
 USB-A+USB-C: 5V  $\leq$  3A

### Packaging

	Weight (g)	275
	Dimensions L x W x H (cm)	11 x 21.5 x 1.9
Inner Carton	Packs / Inner Carton	12
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	38.8 x 13.5 x 12.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	14.0
	Gross Weight (kg)	14.8
	Dimensions L x W x H (cm)	40.5 x 28.5 x 26.5
	Volume (cbm)	0.0306

## PS726



PS726-100CBH



### Main Features

- Dual input & dual output ports
- Slim, compact and portable design
- LED power indicator
- Over-charge protection, over-discharge protection, over current protection, short-circuit protection

### Specifications

**Battery:** 3.7V, 10000mAh, 37Wh, rechargeable Li-polymer battery  
**Input:** Micro USB/USB-C: 5V  $\leq$  2A  
**Output:** 5V  $\leq$  2.1A (Max)  
 USB-A1: 5V  $\leq$  1.0A  
 USB-A2: 5V  $\leq$  2.1A


### Packaging

	Weight (g)	271
	Dimensions L x W x H (cm)	110 x 215 x 19
Inner Carton	Packs / Inner Carton	12
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	38.8 x 13.5 x 12.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	13.2
	Gross Weight (kg)	14
	Dimensions L x W x H (cm)	40.5 x 28.5 x 26.5
	Volume (cbm)	0.0306

# USB Wall Charger

Camelion Wall Chargers offer fast, reliable and efficient charging at home, the office, and while you travel. They come in different sizes and work with universal voltage. Providing you with a convenient solution to charge your mobile devices wherever you go.

## AD612



AD612-CBH

### Main Features

- Power for laptop, tablet and most mobile devices
- 100W maximum output power
- Support QC/PD fast charge
- Charge 3 devices at once
- Over-current and short-circuit protection
- Universal compatibility


### Specifications

**Input:** 100-240V~ 50/60Hz 2A Max  
**Output:** 100W Max  
 USB-C1/C2: 5V --- 3A, 9V --- 3A, 12V --- 3A, 15V --- 3A, 20V --- 5A 100W  
 PPS: 3.3-21V=5A  
 USB-C3: 5V --- 3A, 9V --- 3A, 12V --- 2.5A, 15V --- 2A, 20V --- 1.5A 30W  
 PPS: 3.3-11V --- 3A  
 USB-A: 5V --- 3A, 9V --- 3A, 12V --- 2.5A, 15V --- 2A, 20V --- 1.5A 30W

### Packaging

Hanging Box	Plug:	/
	Weight (g)	/
	Dimensions L x W x H (cm)	/
Inner Carton	Packs / Inner Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
	Volume (cbm)	/

## AD613



### Main Features

- Power for laptop, tablet and most mobile devices
- 100W maximum output
- Support QC/PD fast charge
- Charge 3 devices at once
- Over-current and short-circuit protection
- Universal compatibility

### Specifications


**Input:** 100-240~ 50/60Hz, 2.3A Max.  
**Output:** 100W max.  
 USB-C1/C2: 5.0V --- 3.0A or 9.0V --- 3.0A or 12.0V --- 3.0A or 15.0V --- 3.0A or 20.0V --- 5A  
 PPS: 3.3-21.0V --- 5.0A 100W  
 USB-A: 5.0V --- 3A or 5.0V --- 4.5A or 4.5V --- 5.0A or 9.0V --- 3.0A  
 or 12.0V --- 2.5A or 15.0V --- 2A or 20.0V --- 1.5A 30.0W  
 USB-C1+C2: 65.0W+30.0W (95.0W Max)  
 USB-C1/C2+A: 65.0W+30.0W (95.0W Max)  
 USB-C1+C2+ A: 60.0W+20.0W+18W (98.0W Max)

### Packaging

Hanging Box	Plug:	/
	Weight (g)	/
	Dimensions L x W x H (cm)	/
Inner Carton	Packs / Inner Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
	Volume (cbm)	/

# USB Wall Charger

## AD606



AD606-CBH



### Main Features

- 65W GaN quick charger
- Higher energy efficiency less heat
- Support QC/PD fast charge
- 3 Devices charging at once
- Multi-levels of safety protection
- Intelligent detect & dynamic power allocation

### Specifications

**Input:** 100-240~ 50/60Hz, 1.5A Max  
**Output:**  
 USB-C1: 5V --- 3A, 9V --- 3A, 12V --- 3A, 15V --- 3A, 20V --- 3.25A 65W  
 PPS: 3.3-11V --- 3A  
 USB-C2: 5V --- 3A, 9V --- 3A, 12V --- 2.5A, 15V --- 2A, 20V --- 1.5A 30W  
 PPS: 3.3-11V --- 3A  
 USB-A: 5V --- 4.5A, 4.5V --- 5A, 5V --- 3A, 9V --- 3A, 12V --- 1.5A  
 USB-C1+USB-C2: 45W+18W (63W)  
 USB-C1+USB-A: 45W+18W (63W)  
 USB-C2+USB-A: 5V --- 3A 15W  
 USB-C1+USB-C2+USB-A: 45+15W (60W)

### Packaging

Hanging Box	Plug:	EU / US
	Weight (g)	/
Dimensions L x W x H (cm)		/
Inner Carton	Packs / Inner Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
	Volume (cbm)	/

## AD605



AD605-CBH



### Main Features

- Support QC/PD fast charge
- Dual USB ports: USB-A & USB-C
- Maximum output of 30W
- EU & US plug available
- Short-circuit protection & over-current protection

### Specifications

**Input:** 100-240~ 50/60Hz, 0.8A Max  
**Output:**  
 USB-C: 5V --- 3A, 9V --- 3A, 12V --- 2.5A, 15V --- 2A, 20V --- 1.5A 30W  
 PPS: 3.3-11V --- 3A  
 USB-A: 5V --- 3A, 9V --- 2A, 12V --- 1.5A 18W  
 USB-C+USB-A: 5V --- 3A

### Packaging

Hanging Box	Plug:	EU / US
	Weight (g)	/
Dimensions L x W x H (cm)		/
Inner Carton	Packs / Inner Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
	Volume (cbm)	/

# USB Wall Charger

## AD602A



AD602A-CBH



### Main Features

- Support QC/PD fast charge
- Maximum output of 20W
- EU & US plug available
- Short-circuit protection & over-current protection

### Specifications

**Input:** 100-240~ 50/60Hz 0.7A Max

**Output:** 20W

USB-C: 5V  $\equiv$  3A, 9V  $\equiv$  2.22A, 12V  $\equiv$  1.67A 20W

USB-A: 5V  $\equiv$  3A, 9V  $\equiv$  2A, 12V  $\equiv$  1.5A 18W

USB-A+USB-C: 5V  $\equiv$  3A 15W

### Packaging

Hanging Box	Plug:	/
	Weight (g)	/
	Dimensions L x W x H (cm)	/
Inner Carton	Packs / Inner Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
	Volume (cbm)	/

## AD601A



AD601A-CBH



### Main Features

- Support PD3.0 fast charging
- Maximum output of 20W
- EU & US plug available
- Short-circuit protection & over-current protection

### Specifications

**Input:** 100-240~ 50/60Hz, 0.7 Max

**Output:** 5.0V  $\equiv$  3.0A, 9.0V  $\equiv$  2.22A, 12.0V  $\equiv$  1.67A 20W

### Packaging

Hanging Box	Plug:	/
	Weight (g)	/
	Dimensions L x W x H (cm)	/
Inner Carton	Packs / Inner Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
	Volume (cbm)	/

# USB Wall Charger

## AD585A

3.4A  
Output



AD585A-CBH



### Main Features

- Compatible with most tablets and smart phones
- Three USB ports to charge 3 devices at the same time
- Over-current and short-circuit protection

### Specifications

**Input:** 100-240V~ 50/60Hz 0.6A Max  
**Output:** 5V  $\overline{\text{---}}$  3.4A (Max total)  
 5V  $\overline{\text{---}}$  2.4A (Each USB)

### Packaging

Hanging Box	Plug:	EU / US
	Weight (g)	80
	Dimensions L x W x H (cm)	8 x 15 x 2.9
Inner Carton	Packs / Inner Carton	24
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	38 x 31 x 9.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	3.84
	Gross Weight (kg)	4.46
	Dimensions L x W x H (cm)	39.5 x 32.5 x 20.5
	Volume (cbm)	0.0263

## AD585T

3.4A  
Output



AD585T-CBH



### Main Features

- Small & Compact
- Three output ports
- Supports Type-C output
- Short-circuit protection
- Over-current protection

### Specifications

**Input:** 100-240V~ 50/60Hz 0.6A Max  
**Output:** 5V  $\overline{\text{---}}$  3.4A(Max total)  
 5V  $\overline{\text{---}}$  2.4A(Each USB-A)  
 5V  $\overline{\text{---}}$  3.0A(USB-C)

### Packaging

Hanging Box	Plug:	EU / US
	Weight (g)	80
	Dimensions L x W x H (cm)	8 x 15 x 2.9
Inner Carton	Packs / Inner Carton	24
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	38 x 31x 9.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	3.84
	Gross Weight (kg)	4.46
	Dimensions L x W x H (cm)	39.5 x 32.5 x 20.5
	Volume (cbm)	0.0263

# USB Wall Charger

## AD581

1A  
Output



AD581-HCB



### Main Features

- Compatible with most tablets and smart phones
- Over-current and short-circuit protection

### Specifications


**Input:** 100-240V~ 50/60Hz 0.5A  
**Output:** 5V --- 1A

### Packaging

Hanging Box	Plug:	EU / US
	Weight (g)	80
	Dimensions L x W x H (cm)	8 x 15 x 2.7
Inner Carton	Packs / Inner Carton	24
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	36 x 31 x 9.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	3.4
	Gross Weight (kg)	4.3
	Dimensions L x W x H (cm)	37.7 x 32.5 x 21
	Volume (cbm)	0.0257

## AD582

2.4A  
Output



AD582-HCB



### Main Features

- Compatible with most tablets and smart phones
- Dual USB port to charge two devices at the same time
- Over-current and short-circuit protection

### Specifications

**Input:** 100-240V~ 50/60Hz 0.5A Max  
**Output:** 5V --- 2.4A (Max total)  
 5V --- 2.4A (Each USB)

### Packaging

Hanging Box	Plug:	EU / US
	Weight (g)	80
	Dimensions L x W x H (cm)	8 x 15 x 2.7
Inner Carton	Packs / Inner Carton	24
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	36 x 31 x 9.2
Outer Carton	Packs / Carton	48
	Net Weight (kg)	3.4
	Gross Weight (kg)	4.3
	Dimensions L x W x H (cm)	37.7 x 32.5 x 21
	Volume (cbm)	0.0257

# USB Car Charger

Camelion USB Car Chargers are some of the best-sized and easiest-to-use car chargers on the market today, providing power for your mobile devices whenever you're on the road.

## DD822C

4.8A  
Output



DD822C-DB

FC CE

### Main Features

- 4.8A USB port allows fast charging.
- Dual USB ports to charge two devices simultaneously
- Compatible with tablets, smartphones and other mobile devices
- Over-current and short-circuit protection

### Specifications

**Input:** 12V - 24V  $\equiv$  3A Max  
**Output:** 5V  $\equiv$  4.8A (Max total)  
 5V  $\equiv$  2.4A (Each USB)

### Packaging

Blister	Weight (g)	28
	Dimensions L x W x H (cm)	10.7x 17.1 x 3.5
Inner Carton	Packs / Inner Carton	24
	Dimensions L x W x H (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight (kg)	1.91
	Gross Weight (kg)	2.53
	Dimensions L x W x H (cm)	36.5 x 32.5 x 38
	Volume (cbm)	0.0451

## DD823A

2.4A  
Output



DD823A-HCB

FC CE

### Main Features

- Compatible with most mobile devices
- Dual USB ports to charge two devices simultaneously

### Specifications

**Input:** 12V-24V  $\equiv$  1.3A Max  
**Output:** 5V  $\equiv$  2.4A(Max total)  
 5V  $\equiv$  2.4A(Each USB)

### Packaging

Blister	Weight (g)	66
	Dimensions L x W x H (cm)	10.7x 17.1 x 3.5
Inner Carton	Packs / Inner Carton	24
	Dimensions L x W x H (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight (kg)	3.2
	Gross Weight (kg)	4
	Dimensions L x W x H (cm)	36.5 x 32.5 x 38
	Volume (cbm)	0.0451

# USB Car Charger

## DD822A

2.4A  
Output



DD822A-HCB

FC CE

### Main Features

- Compatible with most portable devices
- Maximum output up to 2.4 A
- Dual USB ports
- LED working indicator
- 4 levels of safety protection:
  - a) Short-circuit protection
  - b) Over voltage protection
  - c) Over-current protection
  - d) Under voltage protection

### Specifications

Input: 12-24V  $\overline{\text{---}}$  1.3A


Output: 5V  $\overline{\text{---}}$  2.4A (Max total)  
5V  $\overline{\text{---}}$  2.4A (Each port)

### Packaging

Blister	Weight (g)	28
	Dimensions L x W x H (cm)	10.7x 17.1 x 3.5
Inner Carton	Packs / Inner Carton	24
	Dimensions L x W x H (cm)	35.5 x 31.5 x 18.0
Outer Carton	Packs / Carton	48
	Net Weight (kg)	1.91
	Gross Weight (kg)	2.53
	Dimensions L x W x H (cm)	36.5 x 32.5 x 38
	Volume (cbm)	0.0451

# Jump Starter & Mobile Power

## CJS100



Jump Start Vehicle



Mobile Power



LED Flashlight

### Main Features

- **Suitable for 12V Vehicles:** gas engines up to 5L and diesel engines up to 2L
- **Built for Multi-Purpose:** jump starter & mobile power & flashlight in one
- **Portable Power Bank with 2 Outputs:** charge 2 devices simultaneously
- **10-Level Safety Protection:** spark proof, short circuit, over current, over-voltage, low-voltage, over-discharge, reverse polarity, reverse charging, over-temperature, clamp connection
- **3 Lighting Modes:** constant on, strobe, SOS

### Specifications

<b>Battery Type</b>	Lithium-Polymer 3.7V
<b>Battery Capacity</b>	10000mAh, 37Wh
<b>Input</b>	USB-C: 5V $\bar{\square}$ 3A
<b>Output</b>	USB-A1: 5V $\bar{\square}$ 1A USB-A2: 5V $\bar{\square}$ 2.4A USB-A1 + USB-A2: 5V $\bar{\square}$ 2.4A
<b>Start Voltage</b>	12V
<b>Start Current</b>	350A @ 1s
<b>Peak Current</b>	700A @ 0.1s
<b>Charging Time</b>	4 h
<b>Safety Protection</b>	Spark Proof Short Circuit Protection Over Current Protection Over-voltage Protection Low-voltage Protection Over-discharge Protection Reverse Polarity Protection Reverse Charging Protection Over-temperature Protection Clamp Connection Protection
<b>Lighting Modes</b>	Constant On, Strobe, SOS
<b>Dimensions</b>	151 × 81 × 32 mm (Jump Starter)
<b>Net Weight</b>	600 ± 20g (Jump Starter + Smart Jumper Cable)

### Packaging

Blister	Weight (g)	600
	Dimensions L x W x H (cm)	/
Inner Carton	Packs / Inner Carton	/
	Dimensions L x W x H (cm)	/
Outer Carton	Packs / Carton	/
	Net Weight (kg)	/
	Gross Weight (kg)	/
	Dimensions L x W x H (cm)	/
	Volume (cbm)	/

# Empower Every Possibility with More Energy Solutions

Camelion has been providing energy solutions to customers worldwide for over 28 years. As one of the most influential energy solution brands in the global market, Camelion is now actively operating in over 120 countries and regions in collaboration with our business partners. Our mission is to satisfy our customers with the finest quality products, customer-friendly price and thoughtful services. Whenever and wherever you are in need, we are always ready for your help with all the energy solutions you need. Just try us out!



## **Camelion Battery Co., Ltd.**

Unit 705, Cyber Times Tower A, Tianan Cyber Park,  
Futian, Shenzhen, Guangdong, China

## **Camelion Enterprises Ltd.**

Block 8, 3/F, Sunray Industrial Centre,  
610 Cha Kwo Ling Road , Kowloon, Hong Kong

For more information about Camelion, please visit [www.camelionbattery.com](http://www.camelionbattery.com)

Camelion is a registered trademark of Camelion Battery Co., Ltd.  
All other brand names are trademarks or registered trademarks of the respective companies.  
Copyright ©2024 Camelion Battery Co., Ltd. All rights reserved.

